

PARTNERS IN COMMUNITY FORESTRY

2024 CONFERENCE




Improving Schoolyard Air Quality with Vegetative Buffers



PRESENTED BY:

Michelle Catania

Green Industry Outreach Coordinator
The Morton Arboretum
mcatania@mortonarb.org



TEAM

Environmental Law & Policy Center

- Susan Mudd, Senior Policy Advocate (*Principal Contact for Logistics*)

The Morton Arboretum

- Michelle Catania, Green Industry Outreach Coordinator

U.S. Forest Service

- Michael Rizo, Program Specialist
- Drew Hart, Chicago Region Natural Resources Specialist

In Coordination with IL DOT & Chicago DOT

- Melissa Del Rosario, Landscape Maintenance
- Fabiola Quiroz, Landscape Maintenance
- Jeff Brink, Senior City Forester
- Allison Preble, City Forester

U.S. EPA Region 5

- Sheila Batka, Air Quality Specialist
- Kara Belle, Healthy Schools Coordinator
- Megan Gavin, Environmental Education Coordinator
- Kathy Kowal, Healthy Communities Team/NEPA
- Jen Blonn Tyler, Healthy Communities Team/NEPA
(*Principal Contact for Logistics*)


U.S. EPA ORD/OTAQ

- Dr. Richard Baldauf, Research Physical Scientist/Engineer, U.S. EPA ORD/OTAQ
- Ken Davidson, EPA Region 9/OTAQ

University of Illinois, Urbana Champaign & Depave Chicago

- Mary Pat McGuire, PLA, Chair, Master of Landscape Architecture Program & Students (**Nital, Anne & Amy**)

Depave Chicago



Outline

Poor Air Quality



Vegetation Barriers

Vegetation Barrier Toolkit
for Schools & Communities


Pilot Sites for Vegetative Barriers

Air Quality Monitoring & Next Steps


Air Quality Buffer



POOR AIR QUALITY




POOR AIR QUALITY



Poor Air Quality


- Combination of **gases** and particulate matter



Criteria Air Pollutants

EPA calls these pollutants "criteria" air pollutants because it sets NAAQS for them based on the criteria, which are characterizations of the latest scientific information regarding their effect on health or welfare.

Sulfur Dioxide



Ground-level Ozone



Nitrogen Dioxide




Carbon Monoxide



Poor Air Quality

- Combination of gases and particulate matter



Criteria Air Pollutants

EPA calls these pollutants “criteria” air pollutants because it sets NAAQS for them based on the criteria, which are characterizations of the latest scientific information regarding their effect on health or welfare.

Sulfur Dioxide



Nitrogen Dioxide



Carbon Monoxide



Ground-level Ozone



Lead




Particulate Matter



Poor Air Quality

- Combination of gases and particulate matter



Criteria Air Pollutants

EPA calls these pollutants “criteria” air pollutants because it sets NAAQS for them based on the criteria, which are characterizations of the latest scientific information regarding their effect on health or welfare.

Sulfur Dioxide



Nitrogen Dioxide



Carbon Monoxide



Ground-level Ozone



Lead


ENTIRELY DIFFERENT ISSUE

Particulate Matter





Poor Air Quality

- Combination of gases and particulate matter



- **PM** is the mixture of **solid** particles and **liquid** droplets in **suspension**
- Dust, dirt, soot or smoke
- Commonly found **suspended in air**



Poor Air Quality

Sources

- Anthropogenic sources
 - Stationary emissions
 - Factories, powerplants, smelters, etc.
 - Road dust
 - Mobile emissions – on road & nonroad
 - Vehicles, planes, trains emissions
 - Brake and tire wear



Poor Air Quality

Sources

- Anthropogenic
 - Stationary emissions
 - Factories, powerplants, smelters, etc.
 - Road dust
 - Mobile emissions – on road & nonroad
 - Vehicles, planes, trains emissions
 - Brake and tire wear
- Natural
 - Volcanic
 - Wind-blown dust (eolian sands)




Composition of Near-Road Air Pollution

- Elevated concentrations near road due to:
 - Increasing **traffic**
 - Congestion with “**stop & go**”
 - Certain meteorological or **terrain**
 - calm winds during rush hour
 - street canyons
 - **Old, poorly maintained vehicles**
- Populations in close proximity to source:
 - **In USA** –
 - Over **50 million people** estimated to live **within 300 ft (100 m)** of a source
 - Almost **17,000 schools** are estimated to be **within (820 ft) 250 m** of a source
 - Massive health impacts

Asthma & Cardiovascular Health Concerns


Increased health risks from air pollution near roadways:

- Kids, older adults, those with cardiopulmonary disease
- Greater impacts in lower socioeconomic populations



Studies have linked:

- Respiratory and cardiovascular health
- Cancer including childhood leukemia
- **Cognitive development**
- Birth and developmental effects






Poor Air Quality

- Combination of gases and particulate matter
- Often elevated near large transportation corridors
 - Highest concentrations 500 – 1,000 ft (150-300 m) from source

Pollutant concentration normalized to edge

0 100 200 300 400



Distance from edge (m)

CO – carbon monoxide
 EC- elemental carbon
 NO- nitric oxide
 NO_x – nitrogen oxides
 UF1 - >3 nm – 352 nm *
 UF2 – 15 nm – 1000 nm *
 VOC1 – varies w distance
 Benzene – petroleum bioproduct
 NO₂ – Nitrogen dioxide
 Fine Particle - 300-20,000nm
 PM10 – less than 10 nm
 VOC2 – does not vary w distance

* Size range in literature


Near-roadway air quality: synthesizing the findings from real-world data.

A. Karner, D. Eisinger, D. Niemeier • Published 18 June 2010 • Environmental Science • Environmental science & technology




Poor Air Quality

Sources of Transportation Air Pollution




Solutions for Transportation Air Pollution




Poor Air Quality

Sources of Transportation Air Pollution



Solutions for Transportation Air Pollution



Let's add Vegetation Barriers to Solutions



Poor Air Quality

- **Vegetative barriers have other positive attributes**

- Reduce noise
- Reduce stormwater runoff/flooding
- Improve water quality
- Increase carbon sequestration
- Reduce heat island effects
- Improve aesthetics/property values
- Enhance community livability
- Generally, improve public health

“Exposure to green space has been associated with better physical and mental health”

Green spaces and cognitive development in primary schoolchildren

Payam Davdani^{a,b,c}, Mark J. Nieuwenhuis^{a,b,c}, Mikel Esnaola^{a,b,c}, Joan Forns^{a,b,c,d}, Xavier Basagaña^{a,b,c}, Mar Alvarez-Pedrerol^{a,b,c}, Ioar Rivas^{a,b,c,e}, Mónica López-Vicente^{a,b,c}, Montserrat De Castro Pascual^{a,b,c}, Jason Su^f, Michael Jerrett^g, Xavier Querol^h, and Jordi Sunyer^{a,b,c,h}

Centre for Research in Environmental Epidemiology (CREAL), 08033 Barcelona, Spain; ^aExperimental and Health Sciences, Pompeu Fabra University, 08005 Barcelona, Catalonia, Spain; ^bCenter for Epidemiology and Public Health (CIERES), 28029 Madrid, Spain; ^cDepartment of Genes and Environment, Division of Epidemiology, Norwegian Institute of Public Health, 0473, Oslo, Norway; ^dDepartment of Geosciences, Institute of Environmental Assessment and Water Research, Spanish National Research Council (CSIC-IDEA), 08034 Barcelona, Catalonia, Spain; ^eEnvironmental Health Sciences, School of Public Health, University of California, Berkeley, CA 94720-7360; ^fDepartment of Environmental Health Sciences, Fielding School of Public Health, University of California, Los Angeles, CA 90095; and ^gHospital del Mar Medical Research Institute (IMIM), 08003 Barcelona, Catalonia, Spain

Edited by Susan Hanson, Clark University, Worcester, MA, and approved May 15, 2015 (received for review February 19, 2015)

Exposure to green space has been associated with better physical and mental health. Although this exposure could also influence cognitive development in children, available epidemiological evidence on such an impact is scarce. This study aimed to assess the association between exposure to green space and measures of cognitive development in primary schoolchildren. This study was based on 2,593 schoolchildren in the second to fourth grades (7–10 y) of 36 primary schools in Barcelona, Spain (2012–2013). Cognitive development was assessed as 12-mo change in developmental trajectory of working memory, superior working memory, and inattentiveness by using four repeated (every 3 mo) computerized cognitive tests for each outcome. We assessed exposure to green space by characterizing outdoor surrounding greenness at home and school and during commuting by using high-resolution (5 m × 5 m) satellite data on greenness (normalized difference vegetation index). Multilevel modeling was used to estimate the associations between green spaces and cognitive development. We observed an enhanced 12-mo progress in working memory and superior working memory and a greater 12-mo reduction in inattentiveness associated with greenness within and surrounding school boundaries and with total surrounding greenness index (including greenness surrounding home, commuting route, and school). Adding a traffic-related air pollutant (elemental carbon) to models explained 20–65% of our estimated associations between school greenness and 12-mo cognitive development. Our study showed a beneficial association between exposure to green space and cognitive development among schoolchildren that was partly mediated by reduction in exposure to air pollution.

activity are related to improved cognitive development (9). Outdoor surrounding greenness has also been reported to enrich microbial input from the environment (10), which may positively influence cognitive development (10). Through these pathways, exposure to green space, including outdoor surrounding greenness and proximity to green spaces, could influence cognitive development in children, yet the available population-based evidence on the association between such exposure and cognitive development in children remains scarce.

The brain develops steadily during prenatal and early postnatal periods, which are considered as the most vulnerable windows for effects of environmental exposures (11). However, some cognitive functions closely related with learning and school achievement—such as working memory and attention—develop across childhood and adolescence as an essential part of cognitive maturation (12–14). We therefore hypothesized a priori that exposure to green space in primary schoolchildren could enhance cognitive development. Accordingly, our study aimed to assess the association between indicators of exposure to green space and measures of cognitive development, including working memory (the system that holds multiple pieces of transitory information in the mind where they can be manipulated), superior working memory (working memory that involves continuous updating of the working memory buffer), and inattentiveness in primary schoolchildren. As a secondary aim, we also evaluated the mediating role of a reduction in air pollution as one of the potential mechanisms underlying this association.

neurodevelopment | greenness | cognition | built environment | school

Contact with nature is thought to play a crucial and irreplaceable role in brain development (1, 2). Natural environments including green spaces provide children with unique opportunities such as inciting engagement, risk taking, discovery, creativity, mastery and control, strengthening sense of self, instilling basic emotional states including sense of wonder, and enhancing psychological restoration, which are suggested to influence positively different aspects of cognitive development (1–3). Beneficial effects of green spaces on cognitive development might accrue from direct influences such as those above, with green space itself exerting the positive influence or through indirect, mediated pathways. The ability of green spaces to mitigate traffic-related air pollution (TRAP) (4) could lead to a beneficial impact of green spaces on cognitive development, because exposure to TRAP has been negatively associated with cognitive development in children (5). Further to TRAP, green spaces can also reduce noise (6), which itself too has been negatively associated with cognitive development (7). Moreover, proximity to green spaces, particularly parks, has been suggested to increase physical activity (8), and higher levels of physical

Significance

Green spaces have a range of health benefits, but little is known in relation to cognitive development in children. This study, based on comprehensive characterization of outdoor surrounding greenness (at home, school, and during commuting) and repeated computerized cognitive tests in schoolchildren, found an improvement in cognitive development associated with surrounding greenness, particularly with greenness at schools. This association was partly mediated by reductions in air pollution. Our findings provide policymakers with evidence for feasible and achievable targeted interventions such as improving green spaces at schools to attain improvements in mental capital at population level.

Author contributions: P.D., M.J.N., X.Q., and J. Sunyer designed research; M.J.N., J.F., M.A.-P., I.R., M.L.V., M.D.C.P., X.Q., and J. Sunyer performed research; M.E., X.R., J. Su, and M.A. contributed new reagents/analytic tools; P.D., M.L., and X.Q. analyzed data, and P.D. and J. Sunyer wrote the paper.

The authors declare no conflict of interest.

This article is a PNAS Direct Submission.

To whom correspondence should be addressed. Email: p.davdani@creal.cat.

This article contains supporting information online at www.pnas.org/lookup/suppl/doi:10.1073/pnas.1505402112/-DCSupplemental.

www.pnas.org/cgi/doi/10.1073/pnas.1505402112


PNAS | June 30, 2015 | vol. 112 | no. 26 | 7937–7942

ENVIRONMENTAL SCIENCES

VEGETATIVE BARRIERS


or

BUFFERS



What is a Vegetative Barrier?


“Vegetation barriers are a collection of trees and shrubs that separate a source of pollutions such as a highway from places where people live, learn, work, and play.”





EPA Urban Vegetation Recommendations

- Design & implement planting projects in US & Europe
- vegetation alone OR combined with solid barriers
- Higher the barrier = higher the pollution reduction
 - **> 13 ft (4 m) tall, ideally 9.8 ft (3m) thick**
- Pollutants CAN meander around edges – **go long!**
 - Sensitive areas should be **> 164 ft (50 m) from edge**
- Pollutants do not disappear!
 - “upwind” sources may need to be considered
 - Expect deposition at barrier
 - accumulate in soil
- The closer to the source the better!





Adequate


Inadequate

- No gaps in vegetation
- Complete coverage from ground to top of canopy
- Thickness adequate to reduce porosity & avoid gaps
- Conifers and thick shrubs are ideal
 - Minimal seasonal effects/complex, rough, waxy surfaces

- Gaps in vegetation
- Incomplete coverage from ground to top of canopy
- Not thick enough
- Deciduous trees used where conifers would have thrived
 - Effectiveness fluctuates with seasons



Filtering Component



Examples of Trees & Trees+Wall

Open Road: Single or low multi-story buildings along a busy road

BEFORE GI IMPLEMENTATION

A busy highway borders a playground and park on one side, and buildings on the other side

The park, playground, and houses are identified as locations that would benefit from vegetative barrier implementation

AFTER GI IMPLEMENTATION

A green screen is implemented as a **vegetative barrier** along the playground

A **vegetative barrier** comprised of tall coniferous trees now lines the area between the road, park, and houses


Open Road: A busy freeway alongside houses

BEFORE GI IMPLEMENTATION


A busy freeway borders houses, separated only by an existing low wall

AFTER GI IMPLEMENTATION

A **vegetative barrier** of tall coniferous trees that extends up higher than the existing wall will enhance the protection from roadway pollution



Plants Trap & Filter PM



The result is lower roadway pollutant concentrations in the area protected by the vegetative barrier

Pollutants are dispersed into the air by roadside trees


Some pollutants are filtered and others are absorbed directly by foliage

Air pollution produced by vehicles on heavily trafficked roadway



What happens to the PM?

Let's take a closer look!




SEM Images

- Produces detailed, magnified images by scanning its surface using focused beam of electrons
- Provide information on:
 - Topography – distribution of features
 - Composition – what the material is made of
 - Morphology – the form, shape, or structure



Costs:
\$80,000-2,000,000 USD



Trichome
s
PM

Image: SEM silver birch leaf (Wang et al, 2019)

VEGETATIVE BARRIER TOOLKIT FOR SCHOOLS & COMMUNITIES

The Morton
Arboretum

THE
CHAMPION
of TREES



CHICAGO
REGION
TREES
INITIATIVE
Our Trees.
Our Communities.
Our Future.

Vegetation Barrier Toolkit for Schools and Communities

January 2022



The Morton Arboretum

Allyson Salisbury, PhD, Research Fellow, Center for Tree Science
Michelle Catania, MS, Research Coordinator, Gateway to Tree Science
Meghan Wiesbrock, MS, Manager of School and Camp Programs
Lydia Scott, MS, Director, Chicago Region Trees Initiative

Project Partners




U.S. Environmental Protection Agency
Environmental Law & Policy Center



Toolkit development funded by The Walder Foundation

Many guides exist to –

Improve Air Quality





Install Trees



Lacks in-depth, tree-focused step-by-step detailed directions to help community members through the process


Directed at industry, too technical



 EPA
United States
Environmental Protection
Agency

EPA 600/R-16/072 | July 2016 | www.epa.gov/research

Recommendations for Constructing Roadside Vegetation Barriers to Improve Near-Road Air Quality



Office of Research and Development
National Risk Management Research Laboratory, Air Pollution Prevention and Control Division



ONTARIO LANDSCAPE TREE PLANTING GUIDE

GOAL:



Take a community group
step-by-step
through the process of
planning, creating, & caring
for a vegetation barrier in
addition to using
vegetation barriers
as part of science curricula.

The cover of the toolkit report features a dark green header with logos for The Morton Arboretum, The Champion of Trees, and the Chicago Region Trees Initiative. Below the header is a photograph of a dense, green vegetation barrier. The bottom section of the cover is white and contains text about the authors, project partners, and funding.


The Morton Arboretum
Allyson Salisbury, PhD, Research Fellow, Center for Tree Science
Michelle Catania, MS, Research Coordinator, Gateway to Tree Science
Meghan Wiesbrock, MS, Manager of School and Camp Programs
Lydia Scott, MS, Director, Chicago Region Trees Initiative

Project Partners
U.S. Environmental Protection Agency
Environmental Law & Policy Center

Toolkit development funded by The Walder Foundation




What's in the Toolkit?



The Morton Arboretum®

**THE CHAMPION
of TREES**




**CHICAGO REGION
TREES
INITIATIVE**

Our Trees.
Our Communities.
Our Future.

Vegetation Barrier Toolkit for Schools and Communities

January 2022



The Morton Arboretum
 Alyson Salisbury, PhD, Research Fellow, Center for Tree Science
 Michelle Catania, MS, Research Coordinator, Gateway to Tree Science
 Meghan Wiesbrock, MS, Manager of School and Camp Programs
 Lydia Scott, MS, Director, Chicago Region Trees Initiative

Project Partners
 U.S. Environmental Protection Agency
 Environmental Law & Policy Center

Toolkit development funded by The Walder Foundation






Table of Contents

Contents

- What's in This Toolkit?..... 3
- Getting Started 4
- Curriculum Toolkit for Educators 8
- Vegetation Barrier Guides**
 - Guide #1 - What's the Best Place for a Vegetation Barrier?12
 - Guide #2 - Do You Have Enough Space for a Vegetation Barrier?.....13
 - Guide #3 - Getting Landowner Permission and Permits (No Field Sheets required).....15
 - Guide #4 - Choose a Planting Design (No Field Sheets required) 16
 - Guide #5 - Get to Know Your Soil.....17
 - Guide #6 - Choosing the Right Trees for Your Site..... 24
 - Guide #7 - Choosing Nursery Trees27
 - Guide #8 - Improving Soil Conditions29
 - Guide #9 - Tree Transport, Inspection, and Storage33
 - Guide #10 - Tree Planting 34
 - Guide #11 - Adding Mulch37
 - Guide #12 - Tree Stabilization 39
 - Guide #13 - Long-Term Tree Care Schedule40
- Additional Resources.....43
- Additional Plants to Complement Vegetation Barriers 45

Related Documents


- Vegetation Barrier Project Budget Worksheets..... 48
- Vegetation Barrier Project Field Sheets (No Field Sheets needed for Guides #3 and #4)**
 - Field Sheet #1 - What's the Best Place for a Vegetation Barrier?.....50
 - Field Sheet #2 - Do You Have Enough Space for a Vegetation Barrier?51
 - Field Sheet #5 - Get to Know Your Soil53
 - Field Sheet #6 - Choosing the Right Trees for Your Site56
 - Field Sheet #7 - Choosing Nursery Trees.....61
 - Field Sheet #8 - Improving Soil Conditions 62
 - Field Sheet #9 - Tree Transport, Inspection, and Storage64
 - Field Sheet #10 - Tree Pruning.....65
 - Field Sheet #11 - Adding Mulch66
 - Field Sheet #12 - Tree Stabilization68
 - Field Sheet #13 - Long-Term Tree Care.....69
- Lesson Plans..... 70

VEGETATION BARRIER TOOLKIT FOR SCHOOLS AND COMMUNITIES **2**

GUIDE #1

What's the Best Place for a Vegetation Barrier?

To reduce air pollution, a vegetation barrier will be most effective if it is downwind of and close and parallel to a ground-level source of pollution, such as a busy roadway. This way, the wall of trees or shrubs intercepts the wind that would bring polluted air onto a site. The methods described in these guides are typically used for open areas. While vegetation barriers can be designed for streets between crowded buildings in cities, those conditions are much more complex and consequently more challenging to ensure the vegetation barrier will work effectively.¹



Vegetation barriers should be planted between the source of ground-level air pollution, such as a road, and the area you want to protect, such as a playground.

Vegetation barriers are generally made of a few rows of trees and/or shrubs. These plants grow to form a living wall or hedge that can trap air pollutants or direct polluted air away from the area you want to protect. Vegetation barriers planted near an actual wall or solid fence also provide effective air pollution improvements. As the plants grow, their branches should be close enough so the barrier does not have any gaps near the ground or between the trees. Gaps in the vegetation barrier can act like a funnel for air pollutants and let them through to the other side. The vegetation barrier can also be more than functional: You can add more decorative plants around and below the barrier. (See the Additional Plants to Complement Vegetation Barriers section.)

If there are already some trees or large plants between the road and the area you want to protect, it is preferable NOT to remove those plants to make a new barrier. Those plants are probably providing other benefits and are already mature. If you have existing trees where you think a vegetation barrier should go, it could be helpful to work with an arborist to determine if those trees are healthy and should be saved. If you do want to keep existing trees at your site, you can add vegetation barrier species around existing planted areas to enhance its ability to improve air quality.

Think about where you might want to put a vegetation barrier; this is your planting area. Take a walk around your site and look at it with an online map. Use your observations to answer the questions in Field Sheet #1.

If you answered “Yes” to all of the questions in Field Sheet #1, proceed to Guide #2 to start making measurements that will help you figure out if your planting area has enough space to grow vegetation barrier trees and shrubs. If your location doesn't have a good place for a vegetation barrier, the Additional Resources section can direct you to other practices that can help improve local air quality.

If you answer “No” to question #4, a vegetation barrier could still be planted in some circumstances. In this case, the vegetation barrier should be higher than the pollution source to be effective. For example, imagine a planting area that is 7 feet lower than a nearby highway. The vegetation barriers would need to grow at least 23 feet tall so that the trees extend 16 feet higher than the road.

Cited sources

1. Abhijith, K.V., Kumar, P., Gallagher, J., McNabola, A., Baldauf, R., Pilla, F., Broderick, B., Di Sabatino, S. and Pulvirenti, B., 2017. Air pollution abatement performances of green infrastructure in open road and built-up street canyon environments-A review. Atmospheric Environment, 162, pp.71-86.

FIELD SHEET #1

What's the Best Place for a Vegetation Barrier?

Bring this field sheet with you to your potential vegetation barrier location.

Materials

- Field Sheet #1
- Pen or pencil
- Phone or separate camera (can be helpful to take pictures of areas you think could be a good space for a vegetation barrier)

Estimated time

1 hour

Observations

While walking around the area you want to shield from ground-level pollution, use your observations to answer the questions in the table below. Using online maps and aerial photos can also help you answer these questions.

Is your potential vegetation barrier planting area....	Yes	No
1. Parallel and downwind to a ground-level pollution source such as a busy road?		
2. Separating the source of ground-level air pollution from areas where people spend time outside?		
3. Longer than the area you want to protect?		
4. At the same elevation or above the pollution source?		
5. Not located in between two pollution sources such as a busy roadway and a side street where cars and buses idle? (This situation can trap air pollution on the side of the vegetation barrier where people are located.)		

Other notes:

Guides

GUIDE #5

Get to Know Your Soil

If you want to grow healthy trees and plants, you need healthy soil. Trees and other plants get water and essential nutrients from soil and rely on soil to hold them in place. This guide provides background about soil and helps you check for several common soil problems that can be found near roadways and other places affected by construction. Use Field Guide #5 to record your observations about the planting area soil.



Background: Healthy trees need healthy soil

Healthy and happy trees start with healthy soil. Soil is a collection of tiny rock and mineral particles, organic matter, water, and air. Soils are unique: They vary from place to place, and they are constantly changing over time. Soil is fundamental for the growth of plants on land. It helps store and filter water, breaks down dead materials and wastes so




their nutrients can be reused, and is a home for many creatures. Ideally soil is about 5% organic matter (the remains and wastes of plants and animals) and 45% tiny rock fragments. The rest is empty space between the solid pieces that can be filled with the air and water plants and soil critters need to live.

Have you ever wondered where soil comes from? The answer is not a bag from the hardware store. In nature, soil forms slowly over time as weather, plants, animals, and microbes break rocks into smaller and smaller particles and add organic matter. In some parts of the world, it can take 100 years to form an inch of rich, organic topsoil.

Unfortunately, removing or damaging good-quality soil can happen quickly. Construction activities usually remove topsoil — an upper layer of soil that can be rich in nutrients and good for plant growth.



Soil forms from bare rock over very long periods of time with the help of microbes, insects, fungi, plants, and animals. Construction severely changes soil by removing topsoil rich in organic matter and compacting the soil. Soil restoration can improve the condition of soil after construction so it is more suitable for growing trees and other plants.





FIELD SHEET #5

Get to Know Your Soil

Bring this field sheet with you to your potential vegetation barrier location.

Materials for all soil tests

- Field Sheet #5
- Pen or pencil
- Phone or separate camera
- Tape measure or yardstick that can get wet
- Shovel/soil auger
- Water source and bucket/hose
- Resealable plastic sandwich bags
- Permanent marker
- Wire probe (description below)
- Squirt or spray bottle (optional)

Soil Test #1 – Soil profile assessment and drainage

Record your observations about each soil profile you remove.

	Sample #1	Sample #2
<i>Example</i>	Soil is brown, deeper soil is darker. Grass roots grow about 10 cm deep. Soil forms larger clumps 10-20 cm deep.	Top 10 cm of soil is brown, forms large dense clumps. 10-20 cm is light tan color, mostly sand and gravel.
Observations (number of soil layers, colors, gravel, smell, other notes)		
Causes for concern: gray soils, buried human-made materials such as asphalt, rotten smell		

Record your measurements of the soil drainage test. Remember to save the soil from a bucket for the other soil tests.

- Poor drainage – less than 4 inches per hour
- Moderate drainage – 4 to 8 inches per hour
- Excessive drainage – more than 8 inches per hour

Sample location	Depth of hole	Initial water height	15 min. water height	Change (initial minus 15 min.)	Change per hour (X 4)
Example	12 in.	10 in.	8 in.	10-8 = 2 in.	2 x 4 = 8
#1					
#2					
#3					

Soil Test #2 – Soil texture

Soil texture type determined by the texture-by-feel method (for example, "silty loam")

Soil texture	Category	Notes
• Sand	Coarse	Water flows through very fast Difficult to compact Not good at holding nutrients
• Loamy sand		
• Sandy loam		
• Sandy clay loam	Medium	Water flows through at moderate rate Somewhat easy to compact Good at holding nutrients
• Loam		
• Silt loam		
• Silt		
• Silty clay loam	Fine	Water flows through very slowly Easy to compact Very good at holding nutrients
• Clay loam		
• Sandy clay		
• Silty clay		
• Clay		

Soil Test #3 – Organic matter

Estimate the amount of organic matter by matching your soil sample color to the chart below.

Soil color	Organic matter	Soil sample
	>10%	•
	5%-10%	•
	3%-4%	•
	1%-2%	•
	<1%	•

Soil Test #4 – pH

Record the results of your soil pH test here: _____

Soil Test #5 – Soil compaction

After each penetration test, check off if a sample location had severe, moderate, or acceptable soil compaction.

How deep did the wire go?	Soil compaction	Sample location #1	Sample location #2	Sample location #3
Less than 4 inches	Severe	•	•	•
4 to 12 inches	Moderate	•	•	•
More than 12 inches	Acceptable	•	•	•

Curriculum Toolkit for Educators – STEM based lessons

Lesson Plans

The following set of lesson plans using problem-based learning and citizen science approaches are available from The Morton Arboretum's Education Department in both PDF and Word document forms. Materials such as portable air quality sensors can also be available for classrooms to borrow. Connect with The Morton Arboretum's Education Department at registrar-ed@mortonarb.org.

Curriculum outline and lesson progression (Strategy-based: problem-Based learning & citizen science)

- **Setting the stage**
 - Introduction Activity – Anticipation Set- Find the Fiction – Air Quality Headlines Activity
 - Vocabulary Build: Vocabulary Story – Air Quality and Trees
- **Investigating the problem**
 - Observation: Measuring the Air Quality at Your Site, How to Use the Sensors, and Understanding Air Quality.
 - ◆ Additional resources: U.S. Environmental Protection Agency (Air Sensor Loaning Resource) (only available as an appendix in toolkit's printed resource)
 - Connect: Trees, Shrubs and Air Quality – Science Notebook Activity
- **Designing a solution**
 - Action Planning Worksheet
 - Planning Your Vegetation Buffer
 - Investigating Soil on Your Schoolyard
 - Choosing the Trees for Your Barrier – Final Planning Activity
 - Bringing It All Together – Planting Design Proposal



Separate document for Educators

Toolkit education loaning resources

- Learning objectives
- Curriculum outline & lesson progression
- **Toolkit education loaning resources**



Bin contents

- Binder with printed toolkit and jump drive (digital content)
- Soil probes and/or shovels (qty: 3-5)
- Clipboard(s) (qty: 3-5)
- Large tape measure (qty: 3-5)
- AirBeam2 sensor (EPA Loaning Resource, quantity determined by educators during toolkit registration)
- Mobile device for sensor (EPA Loaning Resource, quantity determined by educators during toolkit registration)



PILOT SITES

Jens Jensen Elementary
Perspectives High School of Technology
Huff Elementary School




Chicago & Suburbs, Illinois, USA

- 235 sq miles (606 km²), 597 ft asl. (182 m asl)
- **2.7 million people** in city -- 3rd biggest US city
 - **9.6 million people** in metro
- Lake Michigan -- lake breeze & lake-effect snow
- Humid continental climate, 4 distinct seasons
- Average ppt **42"** (16 cm) -- rain and snow
- Plant hardiness **zone 5** -- **zone 6** close to lake



Three Levels of Screening


Schools within 500 ft (152 m) of source



1. BROAD – Identified 28+ Schools (ELPC)


2. INTERMEDIATE – 15, down to 10

3. ON-THE-GROUND – Site visit to 10 schools



2 SITES CITY OF CHICAGO


Air Quality and Health Index, Chicago 2020




Sources:
US EPA EJScreen
American Community Survey
US CDC 500 Cities
IDPH Vital Statistics
Various years combined, 2011-2018

Created by Office of Epidemiology,
Chicago Department of Public Health, January, 2020

Jens Jensen Elementary





Perspectives H.S. of Technology



2 SITES CITY OF CHICAGO


1 SITE ELGIN




HUFF ELEMENTARY SCHOOL



**1 SITE
ELGIN**






**2 SITES
CITY OF
CHICAGO**



**FOCUS ON
ELEMENTARY SCHOOLS**

PERSPECTIVES H.S. OF TECHNOLOGY





Distance from highway to planting site	137 – 165 ft (42-50 m)
Distance from highway to school	180 ft (55 m)
Annual avg daily traffic count (2019)	247,600
Annual avg daily heavy commercial -- 6+ tires (2020)	16,000
School elevation compared to source	Higher at 9.8 ft (3 m)

Students served (2021)	336
% low income	93
% homeless	na
% black	99.1



PHASE 1 TREE PLANTING SCHEDULED FOR NEXT WEEK!



Two Viable Roadside Barrier Designs







Horizontal Gradients of Particle Concentration



Fantastic potential for hybrid!

(Graphic) Tong, Baldauf...et al., 2016, Science of The Total Environment (EPA)

JENS JENSEN ELEMENTARY



Distance from highway to planting site	40-200 ft (12.2-61 m)
Distance from highway to school	160 ft (48.8 m)
Annual avg daily traffic count (2019)	193,700
Annual avg daily heavy commercial -- 6+ tires (2017)	8,000
School elevation compared to source	Higher at 11.3 ft (3.4 m)

Students served (2019)	371
% low income	99.2
% homeless	3.8
% black	98



**HUFF
ELEMENTARY
ELGIN, IL**



Distance from highway to planting site	60-80 ft (18.2-25 m)
Distance from highway to school	170 ft (51.8 m)
Annual avg daily traffic count (2019)	na at time of publishing
Annual avg daily heavy commercial -- 6+ tires (2017)	na at time of publishing
School elevation compared to source	Higher at 9.8 ft (3 m)

Students served (2023)	517
% low income	64
% homeless	na
% Hispanic /Latino	85.7

AIR QUALITY MONITORING

MARCH – APRIL 2024

Stationary

Mobile

Indoor






Stationary
meteorological
equipment, black
carbon, NO₂ air sensors,
& noise



Mobile
monitoring
cart for
indoor
Educational
Availability
sessions.




Indoor black carbon
& NO₂ air sensors being
placed in classroom.



Parik Deshmukh,
VP & Senior Engineer, lead

MOBILE AIR MONITORING




YETI 1400
LITHIUM
BATTERY

UF PARTICLE SIZE
ANALYZER

NO₂ MONITOR

ENGINE EXHAUST
PARTICLE SIZER

MOBILE AIR TO



YETI 1400
LITHIUM
BATTERY

UF PARTICLE SIZE
ANALYZER

NO₂ MONITOR

ENGINE EXHAUST
PARTICLE SIZE

AIR MONITORING AT JENS JENSEN

5 days OUTDOOR monitoring

4 days INDOOR monitoring

3 days NOISE monitoring



FIXED SITE –
OUTDOOR
MEASUREMENT



FIXED SITE –
INDOOR
MEASUREMENT




METEOROLOGICAL
STATION



MOBILE
MEASUREMENTS



MARCH 2024 – APRIL 2024

 **NOTE:** Not all days may have complete day of air monitoring outdoors due to cold and precipitation events interrupting monitoring schedule.

PARTNERS IN COMMUNITY FORESTRY 2024 CONFERENCE

MONITORING & OUTREACH - JENSEN



Arbor Day
Foundation

Student Interactions: 12 classes, >200 students!

PARTNERS IN COMMUNITY FORESTRY 2024 CONFERENCE

MONITORING & OUTREACH - HUFF



Student Interactions: 6 classes, >100 students!

PARTNERS IN COMMUNITY FORESTRY 2024 CONFERENCE

AIR MONITORING AT PERSPECTIVES

5 days OUTDOOR monitoring

3 days INDOOR monitoring

3 days NOISE monitoring



FIXED SITE –
OUTDOOR
MEASUREMENT



FIXED SITE –
INDOOR
MEASUREMENT




METEOROLOGICAL
STATION



MOBILE
MEASUREMENTS



MARCH 2024 – APRIL 2024

NOTE:  Not all days may have complete day of air monitoring outdoors due to cold and precipitation events interrupting monitoring schedule.

PARTNERS IN COMMUNITY FORESTRY 2024 CONFERENCE

NEXT STEPS

DIAGRAMS
DESIGNS
DREAMS

UNIVERSITY OF ILLINOIS URBANA-CHAMPAIGN

I | College of Fine & Applied Arts
Department of Landscape
Architecture



View 1: CPS Only
View from exit ramp to Sacramento,
Looking East towards Chicago



Students as Visionaries



Nital Gundecha, MLA student, 2024



Anne Tong, BLA student, 2023




Amy Roberts, BLA student, 2023

Mentored by Mary Pat McGuire, PLA

CROSS-SECTION, DOWNWIND CONCENTRATION AREAS, WAKE ZONES, ETC





CROSS-SECTION, DOWNWIND CONCENTRATION AREAS, WAKE ZONES, ETC



SCIENCE-BASED DESIGNS

WALL + VEGETATION - **W10T30**-NEAR Highway - **Effective**



WALL + VEGETATION - **W20T30**-NEAR Highway - **Effectiveness increased**



Air pollution reduction over 100 m is reduced by **67% for 235nm** and **82% for 15nm** (Hashad et al. 2020)

Air pollution reduction over 100 m is reduced by **79% for 235nm** and **89% for 15nm** (Hashad et al. 2020)



WEST END




MIDDLE





Wall design to 20'H
(where horizontal space limited for planting)




EAST END







- Secure funding
- Continue to generate community involvement
- Build more partnerships (thank you CDOT & IDOT!)
 - **100-200 trees may be installed along IDOT**
- Host a charette to engage students & faculty, as well as community members & law enforcement
- Support CPS in securing funding for solid wall
- Remove asphalt & remediate soils
 - **Likely requires professional assistance**
- Start phased planting & maintenance of trees
 - **Likely requires professional assistance**
- Complete tree installation
- What do we hope to achieve?...




ing the location of the Veg. Buffer along the CPS property, accompanied by a protective wall.
In the Central Zone, a clear and spacious alleyway, offering unrestricted movement. However, at the junction of the Central & East Zones, a narrow pinch point is limiting space for the Veg. Buffer.



View 2 : CPS Only.

View of the West Zone, Looking towards Veg.
Buffer with shaded trees in playground area,
Existing Basketball Hoop & Artificial Turf



View 1: CPS Only
View from exit ramp to Sacramento,
Looking East towards Chicago




I-290 East to Chicago

Exit Ramp to
Sacramento

Vegetation in front
of wall (limited
(behind alley and
school)

Illinois Department
of Transportation
(IDOT) Zone-Sloped

West play-
ground
(behind wall and





Thank you.

MICHELLE CATANIA

mcatania@mortonarb.org

GREEN INDUSTRY

OUTREACH COORDINATOR

The Morton
Arboretum®



THE
CHAMPION
of TREES

The Center for Tree Science

Creating the scientific knowledge and technical expertise
necessary to sustain trees.